



85 mm x 130 mm x 22 mm NSK 6017 Deep groove ball bearing

Bearing No. 6017

6017 Bearing 2D drawings and 3D CAD models

Size	85x130x22 mm
Bore Diameter	85 mm
Outer Diameter	130 mm
Width	22 mm
d	85 mm
D	130 mm
B	22 mm
C	22 mm
r min.	1,1 mm
da min.	91,5 mm
da max	96 mm
Da max.	123,5 mm
ra max.	1 mm
Weight	0,918 Kg
Basic dynamic load rating (C)	49,5 kN
Basic static load rating (C0)	43 kN
(Grease) Lubrication Speed	5 000 r/min
(Oil) Lubrication Speed	6 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.91
Product Group	B00308
Enclosure	Open



Shandong Boao Bearing Co., Ltd.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	85MM Bore; 130MM Outside Diameter; 22MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6017
Weight / LBS	0.91
Outer Race Width	0.866 Inch 22 Millimeter
Outside Diameter	5.118 Inch 130 Millimeter
Bore	3.346 Inch 85 Millimeter
SRI	6.98
hidYobi	6017
LangID	1
D_	130
SREX	0.025
B_	22
da min	91.5

Shandong Boao Bearing Co., Ltd.

hidTable	ecat_NSRDGB
Oil rpm	6000
SRE	6.98
mass	0.918
GRS rpm	5000
ra	1
SRIX	0.025
D_a	123.5
SRIN	-0.025
C0	43
fo	15.8
SREN	-0.025
DE_	120.994
Prod_Type3	DGBB_SR_OT
DA_	13.494
bomp	0
Z_	15
yobi	6017
C_conv	49500
ALPHA_	0
SDM_	107.5
r	1.1
KBRG	6101
SBRG	10
DI_	94.006